

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	62	conduit with light with reflect\$5 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 13:43
S10	557	conduit with coupl\$3 with (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S11	7	S1 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:47
S12	126	conduit with coupl\$3 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48
S13	2	S1 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48
S14	2	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 13:48
S15	988	(conduit guide) with light with reflect\$5 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:21
S16	4155	(conduit guide) with coupl\$3 with (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S17	6	S15 with S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:20
S19	13	(conduit guide) with light with reflect\$5 with (direct\$2 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:24

S21	861	(conduit guide) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:25
S22	101	S21 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:28
S24	83	S22 and (led laser (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:28
S25	19	S24 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:30
S27	8	S25 and (reflect\$3 with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:35
S28	6	S27 and index with refraction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:49
S29	2	S28 and (transparent with (guide conduit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S30	19003	(transparent with (guide conduit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S31	3860	transparent with conduit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:38
S34	26	conduit with reflect\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:41

S35	83	(conduit guide) with reflect\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:42
S36	2	S35 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 14:43
S37	502	silver with spray\$3 with paint\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:10
S39	51	light same guide same conduit same reflect\$3 same coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:44
S41	16	light same guide same conduit same (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:44
S42	11	light same conduit same (reflect\$3 near3 coat\$3) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S43	2	light same (conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S44	7	(conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:46
S45	1701	385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:49
S46	0	385/129.ccls. and conduit with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:50

S47	9	385/129.ccls. and guide with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 15:50
S48	70	385/129.ccls. and (fiber guide wave\$1guide) with reflect\$3 with coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:00
S49	401	waveguide with (reflective adj coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:00
S50	17	S49 and 385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:03
S52	15	S50 and (laser led (light adj source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:03
S54	2	S50 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:04
S55	16	(fiber wave\$1guide guide) with (reflect\$3 near2 coat\$3) with boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:26
S56	69	waveguide with ((constant uniform) adj index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:27
S60	344	waveguide with (reflective adj coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:29
S61	5	S56 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:45

S62	4305	waveguide and display and (light adj source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:46
S63	3	S62 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:48
S66	18	(waveguide fiber) same (reflect\$3 near3 coat\$3) same ((constant uniform) near3 index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:53
S67	3277	(waveguide fiber) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:16
S68	41	S67 and 385/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/15 16:54
S69	3277	(waveguide fiber) with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:43
S70	65	S69 and ((waveguide fiber) with (index near3 (constant uniform)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:00
S71	61	S70 and ((waveguide fiber) with ((light near source) led laser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:13
S72	21	S71 and ((waveguide fiber) with (lcd display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:04
S73	15	S72 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10

S74	15	S73 and ((waveguide fiber) with transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10
S76	19	S70 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:11
S77	17	S76 and ((waveguide fiber) with transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:10
S78	16	S72 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:39
S79	1163	S69 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:14
S80	16	(waveguide fiber) with (reflect\$3 near3 coat\$3) with boundary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:18
S81	200	(waveguide fiber) with (reflect\$3 near3 coat\$3) with direct\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25
S82	62	S81 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S83	78	(waveguide fiber) with (reflect\$3 near3 coat\$3) with directly	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25
S84	37	S83 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:25

S88	1809	(waveguide fiber) with (reflect\$3 near3 coat\$3) not (anti antireflect\$3 ar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:45
S89	530	S88 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:44
S90	18	S88 and ((waveguide fiber) near5 (index near3 (constant uniform)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:46
S91	10	S90 not non\$1uniform	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:46
S92	7	S91 not non\$reflect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:56
S93	475	(waveguide fiber) near3 (reflective adj coating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 14:56
S94	186	S93 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:04
S95	6	S94 and (constant uniform) near3 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:27
S96	1	S95 and (tin gold silver chromium aluminum zinc copper nickel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:10
S97	96	S94 and (tin gold silver chromium aluminum zinc copper nickel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:10

S98	14407	(waveguide fiber) with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:17
S99	43	S93 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:18
S100	9	S93 and (constant uniform) near3 index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 15:27
S102	344	waveguide with (reflective adj coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S103	5	S102 with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S104	1933	waveguide with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:43
S105	378	S104 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:45
S106	7	S104 with (reflect\$3 near3 coat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:50
S107	1	waveguide with reflect\$3 with coat\$3 with spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 16:51
S108	24	waveguide same reflect\$3 same coat\$3 same spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 17:47



S10 9	6	"5919712".pn. "20040004767" "20040008952"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:41
S11 0	1974	waveguide near3 transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:16
S11 2	1359	(waveguide near3 transparent) not electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:16
S11 3	495	S112 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:17
S11 4	62	S112 and "385"/129.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/16 18:17
S11 5	8	("20030066672" "20030169512" "61 24974" "6285001").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:41
S11 6	1	(waveguide fiber transmi\$5 conduit) near3 optic\$4 same (reflect\$3 mirror) same non-random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:43
S11 7	4	(waveguide fiber transmi\$5 conduit) near3 optic\$4 same (reflect\$3 mirror) same (non\$1random non adj random)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:44
S11 8	32579	(waveguide fiber transmi\$5 conduit) near3 optic\$4 same (reflect\$3 mirror) same direct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:44
S11 9	1490	(waveguide fiber transmi\$5 conduit) near3 optic\$4 same (reflect\$3 mirror) near3 coat\$3 same direct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:45

S12 0	1183	(waveguide fiber) near3 optic\$4 same (reflect\$3 mirror) near3 coat\$3 same direct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:45
S12 1	276	((waveguide fiber) near3 optic\$4) near3 direct\$3 same (reflect\$3 mirror) near3 coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:46
S12 2	107	S121 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:50
S12 3	98	(waveguide fiber) near3 (non\$1random non adj random)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 15:51